

PENDOMONIUM 2024

Elevating enterprise software to SaaS standards





Kevin Gaul Sr. Director of Shipping Products (Requirements Guy)



Elliot Land Innovation Product Owner (Words Guy)



Nicolas Toporcov Sr. Frontend Developer (Pixels Guy)



Introduction

Where we started

- Challenging warehouse software
- Managed Implementations
- Missing Success Metrics

The Problem with Onboarding

Pendo's Solution

- Pendo's role in Onboarding
- Measured success through track events and Pendo API

Our Results

- Key takeaways
- Thoughts for other enterprises

Introduction

A little about RF-SMART



- B2B
- Traditional enterprise software
- Consulting and software solutions





Starting with a Story...



Warehouse Shipping Software

Distinct, Disjointed User Personas

Using software to move physical goods

Physical goods accuracy is more important than software clicks

 You buy a t-shirt online, we help customers find that shirt in a warehouse and get it out the door to you

Missing Metrics

Scans vs Clicks

Fear of under-implemented customers

3rd-party software woes

Challenges Culminated in Customer Onboarding




Onboarding with Pendo

• Built on Pendo's Guides

Automated using Segments


Monitoring using Track Events, Dashboards, and Replays

Onboarding Guides




4


Guides - New Page



Guide Library



Onboarding Graduation



How We Built It


• Use of Pendo APIs for custom in-app experience

Authentication integration to protect PII

• Beta testing and tight feedback loop with customers

Example Segment Using Feature Flags





Initializing Pendo w/ Feature Flags

```
const FeatureFlags = Object.entries({ ...flags }).reduce(
  (obj, [key, value]) => {
   return {
      ...obj.
      [ ${key} ]: value,
 },
window.pendo?.initialize({
 visitor: {
   id: userHash.
   initials: user.nickname | | 'Missing Initials',
   roleName: self.roleName.
 account: {
   id: self.customerId.
    ... FeatureFlags,
```

Example Track Event Usage

Generic Track Event Function

```
const pendoTrackEvent = (name: string, payload?: pendoType.Metadata) => {
  try {
    window.pendo?.track(name, payload);
  } catch (e) {
    ApiAxios.recordError({
        name: 'Track Event',
        message: `Error caught when attempting to send ${name} Event`,
        cause: e,
    });
    // do nothing in case track is unavailable
  }
};
```

Using Function in Business App

```
pendoTrackEvent('Shipment Created', payload);

if (timeInSeconds <= time) {
    pendoTrackEvent('Shipped Under Time');
}

if (state.clickAmount > 0) {
    pendoTrackEvent('Shipped With Click', { clickAmount: state.clickAmount });
} else {
    pendoTrackEvent('Shipped Without Click');
}
```

PENDOMONIUM 2024



Customer Onboarding Now

Automated kickoff and in-app orientation

Pendo Orchestrate for new user journey

Faster implementation time for customers

In-app solution creates a less-costly entry point for customers

Key Takeaways

• Pendo Replays are critical to digital product management

What we built for customers helps our employees too

• Use Guides to prevent tech debt.

• Partnership on Product team is essential.

Pendo saved us from building Pendo





PENDOMONIUM 2024

